



Portlet WEF que tiene 2 páginas, en la **pagina1** se ingresa un texto y al presionar en el botón se muestra la **pagina2** con el texto ingresado.



Pagina 1



Pagina 2


Texto salida1:
Texto salida2: juliopari

WEF85_Ejemplo1

Portlet Adapter

Allows you to expose profile values for customization when the model is used as a portlet.

Properties


Name *	WEF85_Ejemplo1
Portlet Title	WEF85_Ejemplo1
Portlet Short Title	
Portlet Keywords	
Portlet Description	Descripcion de WEF85_Ejemplo1
Default Locale	en
Additional Locales	en
User Help File	 <input type="text"/>

main

















Action List

Creates an ordered list of actions to be executed. Action lists can be nested.

Properties

Name *	 main
--------	--

Arguments

Return Type	 Object									
Actions	<table border="1"> <tr> <td></td> <td>ActionList</td> <td></td> </tr> <tr> <td></td> <td>page1</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>		ActionList			page1				
	ActionList									
	page1									
										

txt_entrada1

Text Input

Creates a text input control at a named tag or other location on a page or pages.

Properties

Name: txt_entrada1

Page Location

Location Technique: On Named Tag Relative to Named Tag Advanced

Page *: page1

Tag *: entrada1

Text: \${Variables/var_textoIngresado}

Display type: Normal

page1

Page

Creates a new HTML page in a model, primarily for prototyping purposes. In deployment, the Imported Page builder is recommended instead of this builder.

Properties

Name *: page1

Page Contents (HTML) *

```
<html>
  <body>
    <h1>Pagina 1</h1>
    <form name="myForm1" method="post">
      <div>
        <span name="entrada1"></span>
        <span name="boton1"></span>
      </div>
    </form>
  </body>
</html>
```

page2

Page

Creates a new HTML page in a model, primarily for prototyping purposes. In deployment, the Imported Page builder is recommended instead of this builder.

► **Properties**

Name *

Page Contents (HTML) *

```
<html>
  <body>
    <h1>Pagina 2</h1>
    <form name="myForm2" method="post">
      <div>
        Texto salida1: <span name="salida1"></span> <br/>
        Texto salida2: <span name="salida2"></span> <br/>
        <span name="boton_regresar"></span>
      </div>
    </form>
  </body>
</html>
```

ljo_ejemplo1

Linked Java Object Show details

Exposes the public methods in a Java Class for use in the current model.

► **Properties**

Name *

Class Name *

► **Overwriting**

► **Advanced**

The screenshot displays the IBM Web Experience Factory interface. At the top, there are two tabs: 'model1.model' and 'Ejemplo1.java'. The code editor shows the following Java code:

```
1 package com.empresa.actions;
2
3 import com.bowstreet.webapp.WebAppAccess;
4
5 public class Ejemplo1{
6
7     public void procesarEjemplo1(WebAppAccess webAppAccess, String texto) {
8         webAppAccess.getVariables().setString("var_textoIngresado", texto);
9         webAppAccess.processPage("page2");
10    }
11
12    public void procesarIrPagina1(WebAppAccess webAppAccess) {
13        webAppAccess.processPage("page1");
14    }
15
16 }
17
```

Below the code editor, a configuration panel for a 'Text Input' widget is shown. The widget is named 'txt_salida1'. The configuration includes:

- Name:** txt_salida1
- Page Location:** Location Technique: On Named Tag, Relative to Named Tag, Advanced
- Page *:** page2
- Tag *:** salida1
- Text:** \${Variables/var_textoIngresado}
- Display type:** Normal

txt_salida2

Text

Displays text at a named tag or other location on a page or pages.

Properties

Name: txt_salida2

Page Location

Location Technique: On Named Tag Relative to Named Tag Advanced

Page *: page2

Tag *: salida2

Text: \${Variables/var_textoIngresado}

Lookup Table Used: None

Text Format: Allow HTML formatting of text (Output string unmodified)

Replace Tag Contents:

btn_boton1

Button

Adds a button control to a named tag or other location on a page or pages. Hook a button up to an action to call a method, load a page, etc.

Properties

Name: btn_boton1

Page Location

Location Technique: On Named Tag Relative to Named Tag Advanced

Page *: page1

Tag *: boton1

Label: Enviar

Action Type: Submit form and invoke action

Action: ljo_ejemplo1.procesarEjemplo1

Form Name:

Arguments

Specify Name / Value pairs of inputs to actions (only applicable for actions that accept arguments).

Arguments

Specify Name / Value pairs of inputs to actions (only applicable for actions that accept arguments).

Input Mappings

Name	Value
ljo_ejemplo1.procesarEjemplo1_Arg1	\${Inputs/entrada1}

Evaluate arguments When the action is run As the page is rendered

Post-Action Behavior

HTML Attributes

Theme and Styles

Advanced

btn_boton2

Button

Adds a button control to a named tag or other location on a page or pages. Hook a button up to an action to call a method, load a page, etc.

Properties

Name: btn_boton2

Page Location

Location Technique: On Named Tag Relative to Named Tag Advanced

Page *: page2

Tag *: boton_regresar

Label: Ir a pagina 1

Action Type: Submit form and invoke action

Action: ljo_ejemplo1.procesarIrPagina1

Form Name:

Arguments

Specify Name / Value pairs of inputs to actions (only applicable for actions that accept arguments).

Input Mappings

Name	Value

[Post-Action Behavior](#)
[HTML Attributes](#)
[Theme and Styles](#)
[Advanced](#)

var_textoIngresado

Variable

Creates a variable of different types. Add a schema builder to enable creation of more complex types.

Properties

Name *	var_textoIngresado
Type *	String
Initial Value	

Julio Pari (IT Architect IBM)



Si te ha interesado este artículo y deseas un apoyo o asesoría en algún requerimiento, envíame un mensaje a: (info@juliopari.com) o sino a través de LinkedIn: <https://www.linkedin.com/in/juliopari/>