



The screenshot shows a REST client interface with a tab labeled 'PHP'. The request method is 'POST' and the URL is 'http://localhost:100/rest/rest_post.php'. The request body is a JSON object: `{ "username": "jupari", "password": "limaperu" }`. The response body is also a JSON object: `{ "wps_username": "jupari-2018", "wps_password": "limaperu-2018" }`. The interface includes tabs for 'Body', 'Cookies (2)', 'Headers (6)', and 'Test Results'. Below the response, there are buttons for 'Pretty', 'Raw', 'Preview', and a 'JSON' dropdown menu.

```
<?php
    $method = $_SERVER['REQUEST_METHOD'];
    if($method == "POST"){
        $request =
json_decode(file_get_contents('php://input'), true);
        /*
        {
            "username": "jupari",
            "password": "limaperu"
        }
        */
        $username = $request["username"];
        $password = $request["password"];
```

```
$response = array(
    'wps_username' => $username . '-2018',
    'wps_password' => $password . '-2018'
);
header('Content-Type: application/json');
echo json_encode($response);
/*
{
    "wps_username": "jupari-2018",
    "wps_password": "limaperu-2018"
}
*/
}else{
    echo "El servicio es POST";
}
?>
```

Julio Pari (IT Architect IBM)



Si te ha interesado este artículo y deseas un apoyo o asesoría en algún requerimiento, envíame un mensaje a: (info@juliopari.com) o sino a través de LinkedIn:
<https://www.linkedin.com/in/juliopari/>
